

FIG.1(a)






FIG.1(b)





RECEIVED

AUG 02 2002

Technology Center 2600

*approval 8/28/02*

VO START CODE 231



3/17



RECEIVED

AUG 02 2002

Technology Center 2600

FIG.3






FIG.4



4/17



FIG.5



RECEIVED

AUG 02 2002

Technology Center 2600



FIG. 6





FIG. 8



6/17



RECEIVED

AUG 02 2002

Technology Center 2600

FIG. 7





FIG. 11



7/17



FIG.9






FIG.10



AUG 02 2002

Technology Center 2600

22





RECEIVED  
AUG 02 2002  
Technology Center 2600

89





FIG.14(a)

MACROBLOCKS USED FOR  
CALCULATING  
PREDICTION VECTOR



MACROBLOCK OF  
INTEREST

FIG.14(b)




FIG.14(c)





FIG.14(d)



10/17




RECEIVED  
AUG 02 2002  
Technology Center 2600

----- VOP BOUNDARY (GOB BOUNDARY WHEN DETECTING GOB HEADER)

11/17



FIG.15



RECEIVED

AUG 02 2002

Technology Center 2600

FIG.17




FIG.18





FIG.16



12/17



RECEIVED  
AUG 02 2002  
Technology Center 2600

203




FIG. 20






FIG.21




FIG.22




FIG.23





FIG.26



RECEIVED  
AUG 02 2002  
Technology Center 2600






FIG.24(a)

FIG.24(b)

RECEIVED

AUG 02 2002

Technology Center 2600





RECEIVED

AUG 02 2002

Technology Center 2600

FIG.25

